

AMSAT Weekly Satellite Report
Issue: WSR-324
Date: 2005-11-20
Sources: amsat-ans-2005-wsr-324.txt

This report is organized into 4 parts.
Part 1 - operational analog amateur satellites.
Part 2 - operational digital amateur satellites.
Part 3 - non - operational satellites
Part 4 - proposed satellites

SB SAT @ AMSAT <W8ISS \$ANS-324.S1
WSR 324 Part 1 11/20/2005

AMSAT NEWS SERVICE BULLETIN 324.S1 FROM AMSAT HQ
SILVER SPRING, MD, November 20, 2005
TO ALL RADIO AMATEURS
BID: \$ANS-324.S1

V0-52 HAMSAT
Catalog Number: 28650
Launch Date: May 05,2005

Status: Testing
Current Mode: U/V - Dutch Transponder

Proposed frequencies:

Indian Transponder:
Uplink : 435.220 MHz to 435.280 MHz LSB/CW
Downlink: 145.870 MHz to 145.930 MHz USB/CW
Beacom : 145.859330 MHz CW

Dutch Transponder:
Uplink : 435.225MHz to 435.275MHz LSB/CW
Downlink: 145.875MHz to 145.925MHz USB/CW
Beacon : 145.860MHz 12WPM with CW message
[11202005]

=====
A0-51 ECHO
Catalog number: 28375
Launch date: June 29, 2004

Status: Testing
Current Mode: PBBS - V/U 9k6
VOICE REPEATER - V/U FM

Analog voice downlink: 435.300 MHz FM
435.150 MHz FM
Analog voice uplink: 145.880 MHz FM
145.920 MHz FM 67Hz PL tone
1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output
2401.200 MHz FM 38k4 bps, AX.25
Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast
Protocol (PBP)

Broadcast: PECHO-11
BBS: PECHO-12

This from the A0-51 Command team:

21 Nov

FM Repeater, V/U

Uplink: 145.920 mhz FM, 67 hz PL Tone

Downlink 435.300 mhz FM

9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)

Uplink: 145.860 mhz FM, 9k6 PBP Digital

Downlink: 435.150 mhz FM, 9k6 PBP Digital

5 Dec

FM Repeater, L/U

Uplink: 1268.700 mhz FM

Downlink 435.300 mhz FM

8 Dec (Wed Night)

9k6 Digital, V/U, High Power, PBP BBS (Pacsat Broadcast Protocol BBS)

Uplink: 145.860 mhz FM, 9k6 PBP Digital

Downlink: 435.150 mhz FM, 9k6 PBP Digital

12 Dec

FM Repeater, V/S

Uplink: 145.920 mhz FM, No PL Tone

Downlink 2401.200 mhz FM

19 Dec

FM Repeater, V/U

Uplink: 145.920 mhz FM, 67 hz PL Tone

Downlink 435.300 mhz FM

9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)

Uplink: 145.860 mhz FM, 9k6 PBP Digital

Downlink: 435.150 mhz FM, 9k6 PBP Digital

[ANS-WSR thanks Mike Kingery, KE4AZN for the above information]

[11202005]

=====

S0-50 SAUDISAT-1C

Catalog number: 27607

Launched: December 20, 2002

Status: Operational.

Uplink: 145.850 MHz (67.0 Hz PL tone) (See below for operating procedures)

Downlink: 436.795 MHz

There have been unconfirmed reports on the amsat-bb remailer that S0-50 has shifted downlink frequency as much as 5khz up. This both from Europe.

To switch the transmitter on, you need to send a CTCSS tone of 74.4 Hz. The order of operation is thus: (allow for Doppler as necessary)

- 1) Transmit on 145.850 MHz with a tone of 74.4 Hz to arm the 10 minute timer on board the spacecraft.
- 2) Now transmit on 145.850 MHz (FM Voice) using 67.0 Hz to PT the repeater on and off within the 10 Minute window.
- 3) Sending the 74.4 tone again within the 10 minute window will reset the 10 minute timer.

[09122004]

=====

F0-29 JAS-2

Catalog number: 24278

Launch Date: August 17, 1996

Status: OPERATIONAL

Voice/CW Mode JA

Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795 MHz

Digital Mode JD

Uplink: 145.850 145.870 145.910 MHz FM
Downlink: 435.910 MHz 1200-baud BPSK or 9600-baud FSK
Callsign: 8J1JCS
Digitaltalker: 435.910 MHz

John, N4QWL reports on July 16th, 2005:

Last evening I had a AOS to LOS qso with WI2W. F0-29 came up at 01:17z here in

FM07 and I found WI2W and we chatted until 01:33z. The satellite was at 2 degrees elevation when I finally heard him start to crackle a bit. What a great QSO! To think that I watched this bird launch back in 1996 and it is still working so well is a real thrill. I believe I still have the video. I might just look for it and watch it again. Boy do I love this satellite stuff!

Look for you all up there.

Please send the reception reports to lab2 'at' jarl.or.jp.

Please use the subject line: 'F0-29 reception report'.

Mineo, JE9PEL, has an F0-29 satellite telemetry analysis program that will automatically analyze all digital telemetry from the satellite (such as current, voltage and temperature). F029CWTE is available at:

<http://www.ne.jp/asahi/hamradio/je9pel/>

[ANS-WSR wishes to thanks John, N4QWL for this week's report]

[11132005]

=====

A0-27 AMRAD

Catalog number: 22825

Launched: September 26, 1993

Status: Operational

Uplink: 145.850 MHz FM

Downlink: 436.795 MHz FM

The latest information on A0-27 from control operator Michael Wyrick, N3UC (former N4USI), can be found at:

<http://www.ao27.org>

An A0-27 question-and-answer page is available on the AMSAT-NA web site, with updates by Ray, W2RS. The URL is:

<http://www.amsat.org/amsat/intro/ao27faq.html>

[ANS-WSR thanks John, K6YK, for this week's A0-27 report]

[11132005]

=====

A0-7 AMSAT OSCAR 7

Catalog number: 07530

Launch Date: November 15, 1974

Status: Semi-operational in sunlight.

Return to active status: June 21,2002

Uplink: 145.850 to 145.950 MHz CW/USB Mode A
432.125 to 432.175 MHz CW/LSB Mode B

Downlink: 29.400 to 29.500 MHz CW/USB Mode A
145.975 to 145.925 MHz CW/USB Mode B

Beacon: 29.502 MHz, 145.972 MHz, 435.1 MHz, 2304.1 MHz

Emily, W0EEC has created a website to allow the users of A0-7 to record contacts, observations and use of the satellite more effectively at:

<http://www.emilyshouse.com/experthams/ao7/main.php>

This includes the ability to log contacts.

Tim, K3TZ has written a program to decode A0-07 telemetry.

The program can be downloaded at:

http://www.qsl.net/k3tz/files/K3TZ_A0-07_Telemetry_Decoder_0.5.zip

For more A0-7 info:

<http://www.amsat.org/amsat/sats/n7hpr/ao7.html>

[11132005]

=====

INTERNATIONAL SPACE STATION (ISS) - ARISS

Catalog number: 25544

Launch date: November 20, 1998

Status: Operational

Current Mode: DIGIPEATER

Digipeater: ACTIVE

The current Expedition 12 crew is:

Commander: William McArthur - KC5ACR

Flight Engineer: Valery Tokarev - (no call)

Worldwide packet uplink: 145.990 MHz FM

Region 1 voice uplink: 145.200 MHz FM

Region 2/3 voice uplink: 144.490 MHz FM

Worldwide downlink: 145.800 MHz FM

Repeater Uplink: 437.800 MHz FM

Repeater Downlink: 145.800 MHz FM

Doppler Shift is 10 KHz

Russian callsigns: RS0ISS, RZ3DZR

USA callsign: NA1SS

Packet station mailbox callsign: RS0ISS-11

Packet station keyboard callsign: RS0ISS-3

Digipeater callsign: ARISS

The ISS Fan Club Webpage < <http://www.issfanclub.com> > reports that the Digi-

peater is active as of Nov 14th, 2005 at 0207UTC.

The ISS daily crew schedule can be found at:

<http://spaceflight.nasa.gov/station/timelines/>

Remember that the crew operates on UTC time. Also, all of the time line is NOT

translated from Russian and posted.

More information is available at:

<http://www.rac.ca/ariss>

<http://spaceflight.nasa.gov/station/reference/radio/>

<http://www.marexmg.org/fileshtml/unprotopage.html>

<http://www.issfanclub.com>

<http://oscar.dcarr.org/>

[11132005]

NNNN

/EX

SB SAT @ AMSAT <W8ISS \$ANS-324.S2

WSR 324 Part 2 11/20/2005

AMSAT NEWS SERVICE BULLETIN 324.S2 FROM AMSAT HQ
SILVER SPRING, MD, November 20, 2005
TO ALL RADIO AMATEURS
BID: \$ANS-324.S2

PCSAT2 ?0-??
Catalog Number:
Launch Date: August 1, 2005

Status: Operational

PCSAT2 was installed on the exterior of the International Space Station and was activated on August 3, 2005.

PCSAT2 CAPABILITIES: PCSAT2 is attached to the ISS and so its operations must be in cooperation with the ARISS communications suite to minimize any mutual interference and to coordinate activities. Here are the capabilities of the PCSAT2 and ARISS payloads:

PCSAT SYSTEM A:

435.275 PCSAT2 DOWNLINK 1200 baud packet with uplink on 145.825
435.275 PCSAT2 DOWNLINK Occasional user PSK-31 continuous downlink
145.825 PCSAT2 DOWNLINK 1200 baud packet

PCSAT SYSTEM B:

437.975 PCSAT2 DOWNLINK periodic Solar Cell data and PCSAT2 telemetry at 9600 baud
437.975 PCSAT2 DOWNLINK TNC-B command downlink at 1200 baud
437.975 PCSAT2 DOWNLINK User Voice Repeater with VHF uplink
437.975 PCSAT2 DOWNLINK Packet digipeater with VHF uplink

It looks like PCSAT2 can best contribute at this time by operating in PSK-31 mode for the near future. This is a very exciting new transponder mode which solves the congestion problem on FM repeaters by letting multiple stations all communicate at the same time.

PSK-31 users are welcome to try out the new PCSAT2 PSK-31 transponder on ISS with an uplink on 29.402 +/- 1 KHz and downlink on 435.275 +/- Doppler using FM.

The FM downlink lets everyone operate full duplex and everyone to see the same view of the passband as everyone else. Thus you can see exactly what your signal looks like to everyone else.

Help Wanted:

Here is your chance to become a viable part of the Amateur Satellite Community.

We are looking for a volunteer satellite packet station in Hawaii that is interested in helping with telemetry and sat-gating of PCSAT2 and ARISS packets. Requirements are:

- 1) General familiarity with packet
- 2) TNC connected to a cross band radio that can RX on UHF and TX on VHF.
- 3) modest UHF beam and rotator system.

Contact WB4APR for more information.

Packets seen from PCSAT2 can be reviewed at:
<http://www.findu.com/cgi-bin/pcsat2.cgi>

A screen shot of both the 9600 bps and 1200 bps decoded data
as seen by Simon, 9W2QC, can be seen at:
<http://www.9w2qc.net/pcsat2/>

More information on PCSAT2 can be found at:
<http://web.usna.navy.mil/~bruninga/pcsat2.html>

[ANS-WSR thanks Bob, WB4APR and the U.S. Naval Academy Satellite Lab for
the above information.]

[08282005}

=====

A0-51 ECHO

Catalog number: 28375

Launch date: June 29, 2004

Status: Testing

Current Mode: PBBS - V/U 9k6

VOICE REPEATER - V/U FM

Analog voice downlink: 435.300 MHz FM

435.150 MHz FM

Analog voice uplink: 145.880 MHz FM

145.920 MHz FM 67Hz PL tone

1268.700 MHz FM 67Hz PL tone

Digital Downlinks: 435.150 MHz FM, 38k4 Digital, PBP, 1 watt output

2401.200 MHz FM 38k4 bps, AX.25

Digital Uplink: 145.860 MHz FM, 9k6 Digital, Pacsat Broadcast

Protocol (PBP)

Broadcast: PECHO-11

BBS: PECHO-12

This from the A0-51 Command team:

21 Nov

FM Repeater, V/U

Uplink: 145.920 mhz FM, 67 hz PL Tone

Downlink 435.300 mhz FM

9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)

Uplink: 145.860 mhz FM, 9k6 PBP Digital

Downlink: 435.150 mhz FM, 9k6 PBP Digital

5 Dec

FM Repeater, L/U

Uplink: 1268.700 mhz FM

Downlink 435.300 mhz FM

8 Dec (Wed Night)

9k6 Digital, V/U, High Power, PBP BBS (Pacsat Broadcast Protocol BBS)

Uplink: 145.860 mhz FM, 9k6 PBP Digital

Downlink: 435.150 mhz FM, 9k6 PBP Digital

12 Dec

FM Repeater, V/S

Uplink: 145.920 mhz FM, No PL Tone

Downlink 2401.200 mhz FM

19 Dec

FM Repeater, V/U

Uplink: 145.920 mhz FM, 67 hz PL Tone

Downlink 435.300 mhz FM

9k6 Digital, V/U, PBP BBS (Pacsat Broadcast Protocol BBS)

Uplink: 145.860 mhz FM, 9k6 PBP Digital

Downlink: 435.150 mhz FM, 9k6 PBP Digital

[ANS-WSR thanks Mike Kingery, KE4AZN for the above information]

[11202005]

=====

N0-44 PCSAT

Catalog number: 26931

Launch Date: September 30, 2001

Status: Operational

Uplink/downlink: 145.827 MHz 1200 baud AX.25 AFSK via W3AD0-1

Aux/Uplink: 435.250 MHz 9600 baud via PCSAT-2 (off)

APRS Downlink: 144.390 MHz (Region 2)

PCSat is a 1200-baud APRS digipeater designed for use by stations using hand-held or mobile transceivers. Downlinks feed a central web site at: <http://pcsat.aprs.org>

The APRS-equipped PCSat was built by midshipmen from the U.S. Naval Academy under the guidance of Bob Bruninga, WB4APR.

[11202005]

=====

CUTE-1

Catalog number: 27844

Launched: June 30,2003

Status: Operational

Uplink: ?

Downlink: 436.8375 CW

437.4700 1200 FM ax25 or SRL (ACTIVE only near Japan ?)

Cliff, K7RR reports:

In the latest Weekly Satellite Report, CUTE 1, #27844 is listed as OPERATIONAL?

Indeed it is very operational as a CUBESAT sending CW telemetry on 436.8345 MHz. At the July 7 2005, 23:45:20 pass over the Western USA:

CUTE 1 6B A4 xx 7F D7 66A8 4702 FF FF7C 65

CUTE 1 6C A6 59 80 D9 66A8 4702 FF FE7C B6

The June 30th KEPS were within ten seconds of AOS and LOS. It is an very good object to practice tracking as the orbit and transmitter power are similar to proposed CUBESATS awaiting launch this December. As a check for Doppler correction, the lack of change in tone is an excellent indicator.

CUTE 1 is a Japanese (Tokyo Institute of Technology) one kilogram nanosatellite that was launched by a Rokot rocket from Plesetsk at 14:15 UT on 30 June 2003. It carries a 100 mW beacon at 436.8375 MHz. Initial orbital parameters were period 101.4 min, apogee 831 km, perigee 819 km, and inclination 98.7?.

For further info about CUTE-1 goto:

http://lss.mes.titech.ac.jp/ssp/cubesat/operation/Schedule_e.html

[ANS WSR wishes to thank Cliff, K7RR, for this week's information]

[07242005]

=====

G0-32 TECHSAT-1B

Catalog number: 25397

Launch Date: July 10, 1998

Status: Operational

Downlink: 435.225 MHz FM (9600-baud FSK)
(435.325 n/a - temperature problems)
Uplinks: 145.850, 145.890, 145.930 FM
1269.700, 1269.800, 1269.900 FM
Broadcast Callsign: 4XTECH-11
BBS Callsign: 4XTECH-12

Jeff, KB2M, reports November 15th, 2005:

I might be wrong about this, but as I am the only one I see working G0-32 here goes. If you do a DIR request up on the 145.890 uplink the bird turns on. Give it a try....

More information of G0-32 can be found at:

<http://www.iarc.org/techsat/techsat.html>

[ANS-WSR wishes to thank Jeff, KB2M for this weeks report.]

[11202005]

=====

A0-16 PACSAT

Catalog number: 20439

Launch Date: January 22, 1990

Status: Semi-operational, the digipeater command is on and open for APRS users.

Uplink: 145.90 145.92 145.94 145.96 MHz FM
(using 1200-baud Manchester FSK)
Downlink: 437.026 MHz SSB (1200-baud PSK)
Mode-S Beacon: 2401.1428 MHz
Broadcast Callsign: PACSAT-11
BBS: PACSAT-12

A WOD collection of current graphics along with general information and telemetry samples can be found at:

<http://www.telecable.es/personales/ea1bcu>

[05092004]

=====

U0-11 OSCAR-11

Catalog number: 14781

Launched: March 1, 1984

Status: Semi-operational?

Telemetry Downlink: 145.826 MHz. FM (1200-baud AFSK).
approx. 10 days ON, 10 days OFF
Mode-S Beacon: 2401.500 MHz. ... OFF
UHFBacon: 435.025 MHz. ... OFF

During the period 24 September to 25 October 2005 the VHF beacon on 145.826MHz resumed transmissions, as expected, on 30 September, sometime between 06:05 and 06:42 UTC passes. Reasonable signals were also captured on the 17:44 pass, later that day. However by the 16:49 UTC pass on 02 October, the beacon had switched OFF. Transmissions resumed on 21 October, and should continue until around 31 October.

The on-board clock continues to show a very large error. Currently it is 19.2394 days slow, having lost six hours while the beacon was last OFF, ie. between 02 October and 21 October. When the beacon is ON, the clock is stable to within a few seconds.

All the analogue telemetry channels, 0 to 59 are zero, ie they have

failed. The status channels 60 to 67 are still working.

The eclipses have now ended, and the satellite should be in continuous sunlight for the remainder of this year, and well into next year. This should help the satellite to continue transmitting, although continuous sunlight can cause problems due to excessive temperatures.

The watchdog timer appears to be operating on the 20 day cycle, ie. approximately ten days ON followed by 10 days OFF. It appears to be unaffected by problems of the on-board clock. However, poor solar attitude, and battery problems, may be combining to produce a low line voltage. This causes the beacon to switch OFF prematurely, and resets the watchdog timer cycle.

The Beacon frequencies are -
VHF 145.826 MHz. AFSK FM ASCII Telemetry
UHF 435.025 MHz. OFF
S-band 2401.5 MHz. OFF

Listeners to OSCAR-11 may be interested in visiting my website which contains an archive of news & telemetry data. It also contains details about using a soundcard or hardware demodulators for data capture. There is software for capturing data, and decoding ASCII telemetry. The URL is:

www.users.zetnet.co.uk/clivew/

If you place this bulletin on a terrestrial packet network, please use the bulletin identifier \$BID:U2RPT114.CWV, to prevent duplication.

More information on UO-11 OSCAR-11 can be found at:
<http://www.users.zetnet.co.uk/clivew/>

MPEG3 files can be found here at Mineo, JE9PEL website:
<http://www.ne.jp/asahi/hamradio/je9pel/u011tlme.htm>
[ANS-WSR thanks Clive G3CWV for the above information]
[10302005]
NNNN
/EX

SB SAT @ AMSAT <W8ISS \$ANS-324.S3
WSR 324 Part 3 11/20/2005

AMSAT NEWS SERVICE BULLETIN 324.S3 FROM AMSAT HQ
SILVER SPRING, MD, NOVEMBER 20, 2005
TO ALL RADIO AMATEURS
BID: \$ANS-324.S3

THE FOLLOWING ARE IN ORBIT BUT ARE NON-OPERATIONAL AT THIS TIME:

SSETI ?0-??
Catalog Number:
Launch Date: October 27, 2005

Status: In orbit - being commissioned

A daily report of the launch campaign is being maintained at
<http://sseti.gte.tuwien.ac.at/express/mop/index.php?uri=news.html>
This mission operations site is completely up-to-date regarding Kepler TLEs and other LEOP "Launch and Early Operations Phase" details.

The SERACC software, needed to decode and submit the received data to the SSETI database, together with some audio files containing recorded 9k6 signal

to experiment with is also now available

The ESA website about SSETI Express is at:
http://www.esa.int/SPECIALS/sseti_express/SEMARJ7X9DE_0.html

The latest version of the SSETI Express handbook can be downloaded free of charge from the AMSAT-UK website at:
<http://www.uk.amsat.org/>

[ANS-WSR thanks Graham, UA/G3VZV and Trevor, M5AKA for the above]

More SSETI Links at:

SpaceDaily has a report about SSETI at:
<http://www.spacedaily.com/news/internet-04zzzu.html>

You can find more info about SSETI at:
<http://sseti.gte.tuwien.ac.at/WSW4/>

Latest news about SSETI can be found at:
<http://sseti.gte.tuwien.ac.at/WSW4/MOPWS/news.php>

Look at the website for the SSETI Express webcam
<http://sseti.gte.tuwien.ac.at/WSW4/webcam.htm>
[11202005]

=====

POSAT-1 P0-28
Catalog Number: 22829
Launched : September 25, 1993

Status: Operational - Not open for Amateur use

Downlink: 435.250 MHz
 435.275 MHz

Uplink: 145.925 MHz
 145.975 MHz

Broadcast callsign: POSAT1-11
BBS callsign: POSAT1-12

P0-28 (POSAT-1), Portugal's first satellite, launched 12 years ago, will be turned over to Amateur Radio use in the very near future. That was the word July 30 from AMSAT-UK Secretary Jim Heck, G3WGM, during the AMSAT-UK International Space Colloquium in Guildford, England.

Launched September 25, 1993, the satellite operated as a packet store-and-forward BBS (9600 baud FM FSK) on Amateur Radio frequencies for several weeks in early 1994. Over the years, P0-28's primary usage has been commercial, although plans have called for eventually shifting its operation to ham radio use. G3WGM reports that following lengthy negotiations it has been agreed that the satellite can be switched permanently to amateur frequencies. The change-over is expected to take a couple of weeks.

The Portuguese satellite was built at the University of Surrey as part of a

collaborative satellite technology program that involved industry and academe.
Uplink frequencies will be 145.925 and 145.975 MHz. Downlink frequencies will be 435.250 and 435.275 MHz. More information on PO-28 is on the AMSAT Web site

<http://www.amsat.org/amsat/sats/n7hpr/po28.html>.

Uplink Frequencies: 145.925 and 145.975 MHz
Downlink Frequencies: 435.250 and 435.275 MHz

Orbit: 822 x 800 km, 98.6 deg inclined, sun-synchronous.

Transponder capabilities include FM repeater and 38k4 data. If you want to hear how loud this satellite is, listen on 429.950 until the change back to amateur radio service.

Keplerian elements for PO-28 are currently contained in the AMSAT keps bull-etins and at Celestrak in amateur.txt using the name "POSAT". Users of Space Track should query the NORAD Satellite ID number 22829. The name listed by Space Track is "EYESAT A".

More information of POSAT-1 can be found at:
<http://www.ee.surrey.ac.uk/SSC/CSER/UOSAT/missions/posat1.html>
<http://www.amsat.org/amsat/sats/n7hpr/po28.html>
[ANS-WSR wishes to thank Duane Naugle, K06BT, for this week's update.]
[11062005]

=====
A0-10 OSCAR 10
Catalog number: 14129
Launched: June 16, 1983

Status: Non-operational

Uplink: 435.030 to 435.180 MHz CW/LSB
Downlink: 145.975 to 145.825 MHz CW/USB
Beacon: 145.810 MHz (unmodulated carrier)

A0-10 has been locked into a Mode-B, 70-cm uplink and 2-meter downlink for several years.

W4SM has more information about the satellite at the following URL:
<http://www.cstone.net/~w4sm/A0-10.html>
[05092004]

=====
IO-26 ITAMSAT
Catalog number: 22826
Launch Date: September 26, 1993

Status: Non-operational

Uplink: 145.875 145.900 145.925 145.950 MHz FM (1200-baud)
Downlink: 435.812 MHz SSB
Broadcast Callsign: ITMSAT-11
BBS: ITMSAT-12

Alberto E. Zagni - I2KBD reports on 02/13/05
The spacecraft is in MBL (safe mode) and is trasmitting just 6 channels of telemetry. Temperatures and voltage are nominal, but there seems to be a problem with the onboard receiver, refusing to accept commands.

The spacecraft was launched in 1993, thus nearing 12 years in orbit...

Best regards
Alberto E. Zagni - I2KBD
ITAMSAT Mission Director

More information of IO-26 can be found at:

<http://joshua.micronet.it/english/itamsat/itamsathome.html>
<http://www.amsat.org/amsat/sats/n7hpr/io26.html>
www.itamsat.org

[02132005]

=====

RS-12 RADIO SPORT RS-12
Catalog number: 21089
Launched: February 5, 1991

Status: Non-operational

Uplink: 21.210 to 21.250 MHz CW/USB
Downlink: 29.410 to 29.450 MHz CW/USB
Beacon: 29.408 MHz
Robot: 29.454 MHz

[05232004]

=====

RS-13 RADIO SPORT RS-13
Catalog number: 21089
Launched: February 5, 1991

Status: Non-operational

Uplink: 21.260 to 21.300 MHz CW/USB
Downlink: 145.860 to 145.900 MHz CW/USB
Beacon: 145.860 MHz
Robot: 145.908 MHz

[05232004]

=====

U0-14 UoSAT-3
Catalog number: 20437
Launched: January 22, 1990

Status: Non-operational

Uplink 145.975 MHz FM
Downlink 435.070 MHz FM
[05092004]

=====

U0-22 UOSAT
Catalog number: 21575
Launched: July 17, 1991

Status: Non-Operational

Uplink: 145.900 FM 9600-baud FSK
Downlink: 435.120 MHz FM
Broadcast Callsign: UOSAT5-11
BBS: UOSAT5-12
[01092005]

=====

RS-15 RADIO SPORT RS-15
Catalog number: 23439
Launch Date: December 26, 1994

Status: Non-operational?

Uplink: 145.858 to 145.898 MHz CW/USB
Downlink: 29.354 to 29.394 MHz CW/USB
Beacon: 29.352 MHz (intermittent)
SSB meeting frequency: 29.380 MHz (unofficial)

John, KD6PAG reports on June 16, 2004 to WSR:
RS-15 beacon seemed to be back in the mode where it's a tone about 5 seconds off and then 5 seconds on this morning.

WSR is looking for more confirmations of RS-15 coming back.

[ANS-WSR thanks John, KD6PAG for RS-15 information]
[06202004]

=====
L0-19 LUSAT
Catalog number: 20442
Launched: January 22, 1990

Status: CW Beacon only

Uplink: 145.84 145.86 145.88 145.90 MHz FM
(using 1200-baud Manchester FSK)
CW downlink: 437.125 MHz
Digital downlink: 437.150 MHz SSB (RC-BPSK 1200-baud PSK)
Broadcast Callsign: LUSAT-11
BBS: LUSAT-12o

General information and telemetry samples can be found at:
www.telecable.es/personales/ea1bcu
[05232004]

=====
F0-20 JAS-1b
Catalog number: 20480
Launch Date: February 07, 1990

Status: Non-Operational

Uplink: 145.90 to 146.00 MHz CW/LSB
Downlink: 435.80 to 435.90 MHz CW/USB
Beacon: 435.795

More F0-20 info can be found at:
<http://www.amsat.org/amsat/sats/n7hpr/fo20.html>
[08152004]

=====
K0-23 KITSAT
Catalog number: 22077
Launched: August 10, 1992

Status: Non-operational

Uplink: 145.900 MHz FM (9600-baud FSK)
Downlink: 435.170 MHz FM
Broadcast Callsign: HL01-11
BBS: HL01-12

Jim, AA7KC, reports that K0-23's downlink transmitter continues in a non-operational status.
[05092004]

=====
K0-25 KITSAT
Catalog number: 22828

Launched: September 26, 1993

Status: Non-operational

Uplink: 145.980 MHz FM (9600-baud FSK)

Downlink: 436.500 MHz FM

Broadcast Callsign: HL02-11

BBS: HL02-12

[05092004]

=====

P0-34 PANSAT

Catalog number: 25520

Launched: October 30, 1998

Status: Telemetry downloads only

Uplink/downlink frequency (listed on the PanSat web site) 436.500 MHz

The satellite is not available for general uplink transmissions.

The Naval Postgraduate School developed PanSat. At the time of launch, PanSat spread-spectrum digital transponders were to be available to Amateur Radio operators along with software to utilize this technology.

The satellite is still operating, however, the spread spectrum packet radio portion never took place. The spacecraft is now beyond it's initial 2-year mission life, but telemetry records are still being downloaded.

For more information, visit the official PanSat web site at:

<http://www.sp.nps.navy.mil/pansat/>

[05092004]

=====

S0-33 SEDSAT-1

Catalog number: 25509

Launched: October 24, 1998

Status: Semi-operational

Downlink: 437.910 MHz FM (9600-baud FSK)

The satellite is not currently available for uplink transmissions and the image and transponder recovery efforts have been unsuccessful.

For more information on SedSat-1 visit the satellite web site:

<http://seds.uah.edu/projects/sedsat/sedsat.htm>

[ANS-WSR has no further information]

[05232004]

=====

S0-35 SUNSAT

Catalog Number: ?

Launched: February 23, 1999

Status: Non-Operational

Downlink: Mode B Repeater: 436.291 MHz

Mode J Digipeater: 436.250 MHz

Uplinks: Mode B Repeater: 145.825 MHz

Mode J Digipeater: 145.825 MHz and 145.900 MHz

For more information of SUNSAT visit the satellite web site:

<http://esl.ee.sun.ac.za/projects/sunsat/>
[08082004]

=====

U0-36 UoSAT-12
Catalog number: 25693
Launched: April 21, 1999

Status: Unknown

Uplink: 145.960 MHz (9600-baud FSK)
Downlink: 437.025 MHz 437.400 MHz
Broadcast Callsign: U0121-11
BBS: U0121-12

The VK5HI viewer shareware for U0-36 is available on the AMSAT-NA web site at the following URL:

<ftp://ftp.amsat.org/amsat/software/win32/display/ccddsp97-119.zip>
[05092004]

=====

A0-40 AMSAT OSCAR 40
Catalog number: 26609
Launch Date: November 16, 2000

Status: Non-Operational

Uplink V-band 145.840 - 145.990 MHz CW/LSB
U-band 435.550 - 435.800 MHz CW/LSB
L1-band 1269.250 - 1269.500 MHz CW/LSB
L2-band 1268.325 - 1268.575 MHz CW/LSB
S1-band 2400.350 - 2400.600 MHz CW/LSB
Downlink: S2-band 2401.225 - 2401.475 MHz CW/USB
K-band 24,048.010 - 24,048.060 MHz CW/USB
Beacon: 2401.323, 24,048.035
[05232004]

S0-42 SAUDISAT-1B
Catalog number: 26549
Launched: September 26, 2000

Status: Non-Operational

Downlink: 437.075 MHz
Broadcast Callsign: SASAT2-11
BBS: SASAT2-12

Further information is available at:
<http://www.amsat.org/amsat/sats/n7hpr/so42.html>
[08152004]

=====

S0-41 SAUDISAT-1A
Catalog number: 26545
Launch Date: September 26, 2000

Status: Non-Operational

Uplink: 145.850 MHz
Downlink: 436.775 MHz
Broadcast Callsign: SASAT1-11
BBS: SASAT1-12

Further information is available at:
<http://www.amsat.org/amsat/sats/n7hpr/so41.html>
[08152004]

=====

N0-45 SAPPHIRE

Catalog number: 26932
Launch Date: September 30, 2001

Status: Non-Operational

Downlink: 437.095 MHz 1200 baud AX-25 AFSK
Uplink: 145.945 MHz UI Digipeater
Digi Callsign: KE6QMD

Everyone is welcome to use the digipeating/APRS features of Sapphire, callsign KE6QMD, as per the user service agreement located at the following

URL:

<http://web.usna.navy.mil/~bruninga/pcsat/contract.txt>
[03132005]

=====

M0-46 TIUNGSAT-1
Catalog number: 26548
Launched: September 26, 2000

Status: Operational

Uplink: 145.850 or 145.925 MHz 9600-baud FSK
Downlink: 437.325 MHz
Broadcast callsign: MYSAT3-11
BBS: MYSAT3-12

TiungSat-1 is Malaysia's first micro-satellite and in addition to commercial land and weather imaging payloads offers FM and FSK Amateur Radio communication.

TiungSat-1, named after the mynah bird of Malaysia, was developed as a collaborative effort between the Malaysian government and Surrey Satellite Technology Ltd.
[11202005]

=====

A0-49 AATiS OSCAR-49 (SAFIR-M)
Catalog number: 27605
Launch Date: December 20, 2002

Status: Semi-operational.

Uplink 435.275 1200-baud AFSK
Downlink 145.825 9600-baud FSK
(optional voice message)
Broadcast callsign: DP0AIS

A0-49 (SAFIR-M) is a German amateur radio payload onboard the small German scientific satellite "RUBIN-2".

A0-49 was built by the German amateur radio association "AATiS e.V." (German acronym for "Arbeitskreis Amateurfunk und Telekommunikation in der Schule", which means: 'working group for amateur radio and telecommunications in schools'). A0-49 is designed as a "store and broadcast" system for APRS based messages, dedicated for the use of schools in combination with the existing WX-Net and planned buoy experiments in Germany.

No transmissions detected since the 1st of February 2003! It appears A0-49 is

not properly aligned to illuminate the solar panels. This should end soon. Due to its orbit, A0-49 will be in a phase without eclipses until 13Feb03.

Martin DG8UAU has written a small software program "SAFIR-M Decoder" to allow decoding of the received DATA0 frames. It is available at: <http://amend.gmxhome.de> in the section Aktuelles.

Details on A0-49 (SAFIR-M) can be found at: <http://amend.gmxhome.de>

Information about AATiS e.V. is available at: <http://www.aatis.de>
[11132005]
NNNN
/EX

SB SAT @ AMSAT <W8ISS \$ANS-324.S4
WSR 324 Part 4 11/20/2005

AMSAT NEWS SERVICE BULLETIN 324.S4 FROM AMSAT HQ
SILVER SPRING, MD, NOVEMBER 20,2005
TO ALL RADIO AMATEURS
BID: \$ANS-324.S4

THE FOLLOWING SATELLITES ARE NOT IN ORBIT BUT ARE
PROPOSED FOR LAUNCH AT THIS TIME:

UCISAT ?0-??
Catalog number:
Proposed Launch Date: October 31, 2005

Status: Under Construction

Downlink: Submission in Progress
Uplink: Submission in Progress
Callsign: Submission in Progress

This from Matt Bennett, KF6RTB, UCISAT Communications Team Member:

Our website is www.ucisat.net. This is a new website, however, and doesn't have the "Status" section active yet. Because of the growing interest in our project, I'll push our webmaster to create updates (hopefully) on a week-to-week basis. For now, the current status of the mission is as follows:

- Expected Launch Date: October 31st, 2005
- Frequency Allocation: Submission in Progress
- Construction Status: Sub-Assembly

[ANS-WSR to thank Matt Bennett, KF6RTB, for this week's report.]
[01302005]

=====
PHASE 3E ?0-??
Catalog Number:
Proposed Launch Date: Early 2006

Status: Under Construction

For the latest project status update please visit the AMSAT-DL
P3-E web page:
<http://www.amsat-dl.org/p3e/>

[ANS-WSR wishes to thank William Leijenaar, PE1RAH for this week's report]

[10022005]

=====

CP1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: N6CP

Proposed Transmit Frequency: 436.845

[03272005]

=====

CP2 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.325

[03272005]

=====

HAUSAT1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: D90HP

Proposed Transmit Frequency: 437.465

[03272005]

=====

ICE Cube 1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: W2CXM

Proposed Transmit Frequency: 437.305

[03272005]

=====

ICE Cube 2 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: N2VR

Proposed Transmit Frequency: 437.425

[03272005]

=====

ION ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.505

[03272005]

=====

KUTEsat ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: KC0RMW

Proposed Transmit Frequency: 437.385

[03272005]

=====

MEROPE ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: K7MSU-1

Proposed Transmit Frequency: 145.980

[03272005]

=====

nCUBE1 ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.305

2407.25

[03272005]

=====

RINCON ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW

Proposed Transmit Frequency: 436.870

437.345

[03272005]

=====

SACRED ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW

Proposed Transmit Frequency: 436.870

[03272005]

=====

SACRED ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: WA4CEW

Proposed Transmit Frequency: 436.870

[03272005]

=====

SEEDS ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: JQ1YGU

Proposed Transmit Frequency: 437.485

[03272005]

=====

Mea Huaka ?0-??

Catalog Number:

Proposed Launch Date: Mid May 2005

Proposed Callsign: TBA

Proposed Transmit Frequency: 437.405

[03272005]

=====

SUITSAT ?0-??

Catalog Number:

Proposed Release Date: December 8th, 2005

Proposed Callsign: RS0RS ?

Proposed Transmit Frequency: 145.990

This from Miles, WF1F:

At the present time there are tentative plans to have a Space Walk (EVA) tak-

ing place from ISS sometime around December 8, 2005. It is possible that dur-

ing this Space Walk, the ISS crew may Hand launch the ARISS SuitSat project during that EVA mission. Again, all date are subject to last minute changes. Please Keep monitoring the ARISS and AMSAT web pages for more updates.

The SuitSat project is a free floating Unmanned satellite that will be running on Batteries Only! The life span of the project will be limited to the power in the batteries. SuitSat may last as little as 1 week or as long as 6 weeks. So it is very important for you to get your satellite monitoring station ready now. You should not wait for the Official activation date, because you may miss the opportunity to hear the new bird.

I will keep posting updated links for the SuitSat project as they become available.

This from Frank H. Bauer, KA3HD0:

Yes, we have set the SuitSat-1 downlink to be the same as the Packet uplink. The ARISS/Human Spaceflight team have a very limited set of frequencies in the 2 meter OSCAR sub-band (145.80-146 MHz). 145.99 is one of them.

As Miles Mann, WF1F, described, we will be reconfiguring the Kenwood D700E from packet mode. Our tentative plan is to set the D700 into a repeater mode with that will enable the ISS radio to repeat the Suitsat audio on 70 cm, specifically, 437.80 MHz.

All hams are requested to refrain from uplinking packet (or voice) on 145.99 during Suitsat operations. This will allow you and your local neighbors to better hear the SuitSat downlink. SuitSat will only be operational for a few days.....we all would like to get the most of its operations. So please due your best to abide by this plan.

We will continue to provide late-breaking information on SuitSat plans on the following web sites. Please check them often. And get your stations ready to copy the audio, voice telemetry, and SSTV picture.

<http://www.amsat.org>

<http://www.rac.ca/ariss>

A video of the progress of Suitsat can be found at the following URL:
<http://www.amsat.org/amsat-new/information/videoNews.php>
[11132005]
NNNN
/EX

ANS is released worldwide via the AMSAT ANS e-mail reflector and a live

radiocast on the AMSAT-NA 20-meter net held each Sunday on 14.282 MHz. Pre-net operations start at 18:00 UTC, with current ANS bulletins transmitted to the eastern U.S. at 19:00 UTC and to the western U.S. at 19:30 UTC.

Information on AMSAT-NA is available at the following URL:
<http://www.amsat.org>

AMSAT-NA
850 Sligo Avenue, Suite 600
Silver Spring, Maryland 20910-4703

Voice: 301-589-6062
888-322-6728
FAX: 301-608-3410

Currently, AMSAT-NA supports the following (free) mailing lists:

- * AMSAT News Service (ANS)
- * General satellite discussion (AMSAT-BB)
- * Orbit data (KEPS)
- * Manned space missions (SAREX)
- * District of Columbia area (AMSAT-DC)
- * New England area (AMSAT-NE)
- * AMSAT Educational Liaison mailing list (AMSAT-EDU)
- * AMSAT K-12 Educational Liaison mailing list (AMSAT-K12)

A daily digest version is available for each list.

To subscribe, or for more list information, visit the following URL:
<http://www.amsat.org/amsat/listserv/menu.html>

In addition to regular membership, AMSAT-NA offers membership in the President's Club. Members of the President's Club, as sustaining donors to AMSAT Project Funds, will be eligible to receive additional benefits. Application forms are available from the AMSAT-NA Office.

This week's Weekly Satellite Report Editor is James French, W8ISS.

ANS is always dedicated to past ANS editor 'BJ' Arts, WT0N, and to the memory of longtime AMSAT supporters Werner Haas, DJ5KQ, Dennis Kitchen, G0FCL and John Branegan GM4IHJ.

Please send any amateur satellite news or reports to:
ans-editor@amsat.org
NNNN
/EX